

Silver Series 8G

Silver Series 8G

More refined, more considered, and more optimised for total system performance than ever before.





The most capable Silver Series ever.





Pictured: Silver 300 8G in High Gloss Black



Pictured: Silver On-Wall 8G in Satin White

Technical innovation

1

New C-CAM Gold Dome Tweeter

Lightweight, strong and more rigid than conventional materials, C-CAM remains the staple driver cone choice for all Monitor Audio speakers and works pistonically to deliver impressive levels of fidelity, now with an evolved RST cone geometry that reduces breakup and resonances.

3

C-CAM, RST III Bass Driver

The C-CAM bass driver with RST III cone geometry delivers greater stiffness and reduced resonance for cleaner, more controlled sound. An upgraded motor system enhances power handling, lowers distortion and ensures consistent, dynamic performance across the full listening range.

5

Crossover Upgrades

Premium capacitors, inductors, and resistors for improved signal integrity, smoother driver integration, and minimal colouration. all listening levels.

7

Through-bolt Driver Bracing

Through-Bolt technology allows the drive units to be securely braced to the rear of the cabinet and tightened to a specific torque to ensure the drive unit and cabinet remain structurally strong, removing unwanted chassis resonances and strengthening overall cabinet rigidity.

2

C-CAM, RST III Mid-Range Driver

Gold 6G-inspired surround, progressive spider, upgraded voice coil and venting, housed in its own enclosure for natural, focused mid-range clarity.

4

Silent Flow Port Technology

Larger, fluted internal ports with owl-feather-inspired flare geometry reduce turbulence and chuffing for cleaner, deeper bass.

6


Cabinet

Rigid internal bracing throughout and specific damping along with the through-bolt assembly reduce resonance and panel vibration, improving transient response and overall sonic accuracy.

8

Optimised System Performance

Every component, from drivers to cabinet, engineered for coherence, balance, and exceptional high-fidelity reproduction across all listening levels.



C-CAM Gold Dome Tweeter

The new high-frequency driver has been comprehensively refined to deliver greater clarity, control and openness. A vented design and newly optimised internal enclosure geometry reduce distortion and improve airflow, while the addition of a shorting ring lowers impedance variation for cleaner, more consistent performance. The tweeter features an updated compression ring geometry and a new ring neodymium magnet for increased magnetic efficiency. Completing the system is the latest evolution of the UD Waveguide II, with refined geometry to improve directivity and deliver a smoother, more natural high-frequency response across a wider listening area.

Benefits at a glance:

- Greater clarity, control, and openness in high frequencies
- Reduced distortion for cleaner, more refined treble performance
- Smoother, more natural high-frequency response
- Wider sweet spot with improved directivity and dispersion
- More stable, consistent performance across all listening levels



C-CAM, RST III Mid Driver & Motor System

The RST III mid-range driver and motor system have been carefully re-engineered to deliver greater transparency and control through the critical vocal range. An updated RST III cone geometry increases rigidity and reduces colouration, supported by a reprofiled surround inspired by the proven Gold Series 6G design. A newly developed progressive spider with optimised geometry, together with an upgraded voice coil and improved venting, enhances linearity, airflow and power handling. Housed within a dedicated enclosure, the mid driver delivers a more focused, natural and dynamically expressive mid-range performance

Benefits at a glance:

- Greater transparency and control through the vocal/mid range
- Increased rigidity for reduced colouration
- Improved linearity for more accurate mid-range reproduction
- Enhanced airflow and power handling for dynamic performance
- Dedicated enclosure for cleaner, more isolated and natural sound delivery



C-CAM, RST III Bass Driver & Motor System

At the heart of the design is the all-new RST III bass/mid driver, engineered for greater control, clarity and consistency. The updated RST III cone geometry increases stiffness while reducing unwanted resonances, supported by a reprofiled surround and a newly developed progressive spider with optimised geometry for improved linearity. An upgraded voice coil and enhanced venting improve thermal management and power handling, while selected models benefit from a larger magnet and optimised magnetic circuit, delivering tighter control, lower distortion and a more precise, dynamic sound across the listening range.

Benefits at a glance:

- Greater control, clarity, and overall consistency
- Increased stiffness for reduced unwanted resonance
- Improved linearity for more accurate, faithful reproduction
- Enhanced thermal management for reliable high-volume performance
- Tighter bass control with lower distortion and improved dynamics





Silent Flow Port Technology

The new Silver Series 8G port technology takes bass performance to the next level by significantly increasing diameter to reduce turbulence compared with previous designs. Its innovative flare geometry is inspired by the interlocking wing feathers of an Owl, which allow silent flight, guiding airflow smoothly and quietly through the port. This biomimetic approach not only minimises chuffing and turbulence for cleaner, deeper bass but is also a principle used in high-efficiency technologies such as wind turbine blades, demonstrating the wider potential of nature-inspired engineering.

Benefits at a glance:

- Reduced turbulence for cleaner, more efficient airflow
- Tighter, more controlled bass with improved definition
- Minimised port noise (“chuffing”) for quieter operation
- Deeper, more extended bass response with lower distortion
- More consistent performance at higher listening levels





Silver 8G Crossover

The crossover has been upgraded with higher-quality components throughout, ensuring more precise signal division and minimal colouration. Carefully selected capacitors, inductors and resistors improve electrical performance and reduce losses, delivering a cleaner, more transparent signal path. The result is tighter integration between drivers, enhanced clarity across the frequency spectrum, and a more coherent, natural soundstage.

Benefits at a glance:

- More precise frequency division for improved driver integration
- Lower signal loss for greater efficiency and fidelity
- Reduced colouration for a more natural, unprocessed sound
- Improved transparency across the full frequency range
- Enhanced clarity, imaging, and overall soundstage coherence

Engineered Wood

The European Walnut veneer on Silver Series speakers is crafted from real, fully engineered wood. Carefully layered and shaped from sustainable timber, it achieves the rich grain, pattern, and colour of exotic woods, delivering a luxurious, consistent finish without harvesting rare or endangered trees. The result is a harmonious blend of elegance and sustainability.

Benefits at a glance:

- Sustainable engineered wood avoids use of rare or endangered timber
- Real wood veneer delivers an authentic, premium walnut appearance
- Consistent grain, colour, and finish across all products
- Carefully engineered layering enhances durability and stability
- Combines luxury aesthetics with responsible, eco-conscious design



All-New Outrigger Feet

Silver Series 8G Outriggers take their cue from the flagship Platinum Series 3G, delivering a wider, more stable foundation for improved performance and presence. Engineered for both form and function, they feature a discreet top-adjust mechanism hidden beneath a spun metal disc, allowing precise levelling without disrupting the clean aesthetic. Designed with versatility in mind, the spikes can be removed for hard floors, revealing integrated rubber feet that maintain stability while protecting surfaces.

Benefits at a glance:

- Enhanced stability for improved acoustic performance
- Wider stance reduces unwanted vibration and resonance
- Clean, premium aesthetic with hidden top-adjust mechanism
- Easy, precise levelling without moving the speaker
- Dual-purpose design: spikes for carpet, integrated rubber feet for solid floors





Pictured: Silver 500 8G in European Walnut

Silver 500 8G

Formidable in both size and sonic presence, the 3-way Silver 500 delivers commanding bass extension through twin 8-inch C-CAM drivers with RST III cone geometry. A dedicated 3-inch midrange driver and 25mm C-CAM Gold Dome tweeter ensure seamless, articulate performance across the full spectrum, embodying the Silver Series' ethos of total-system performance.

The Silver 500 8G is finished in either: High Gloss Black, Satin White or European Walnut (man-made engineered wood) and comes with bespoke, magnetic speaker grilles as standard.

Features at a glance:

- 2 x 8-inch bass driver feat. C-CAM cone with new RST III driver geometry
- 1 x 3-inch mid driver feat. C-CAM cone with RST III
- 1 x 25mm C-CAM Gold Dome Tweeter
- Silent Flow port design
- Refined crossover design
- Braced cabinet construction with Through-Bolt Technology
- Ultra-strong outrigger spike/foot configuration
- Three contemporary finishes





Pictured: Silver 50 8G & Blok Axis 700 in Satin White

Silver 300 8G

Elegantly designed, the Silver 300 3-way floorstanding system delivers exceptional performance. Twin 6-inch C-CAM bass drivers with RST III cone geometry, a 3-inch midrange driver, and a 25mm C-CAM Gold Dome tweeter combine to reproduce the full sonic spectrum with authority, depth, and clarity.

The Silver 300 8G is finished in either: High Gloss Black, Satin White or European Walnut (man-made engineered wood) and comes with bespoke, magnetic speaker grilles as standard.

Features at a glance:

- 2 x 6-inch bass driver feat. C-CAM cone with new RST III driver geometry
- 1 x 3-inch mid driver feat. C-CAM cone with RST III
- 1 x 25mm C-CAM Gold Dome Tweeter
- Silent Flow port design
- Refined crossover design
- Braced cabinet construction with Through-Bolt Technology
- Ultra-strong outrigger spike/foot configuration
- Three contemporary finishes





Pictured: Silver 300 8G & Silver AMS 8G in White

Pictured: Bronze 300 7G in Satin White

Silver 100 8G

A new true 3-way system, this larger standmount speaker delivers exceptional levels of high-fidelity performance. Its powerful 8-inch C-CAM bass driver with RST III cone geometry reaches impressively deep, while a dedicated 3-inch midrange driver and 25mm C-CAM Gold Dome tweeter ensure seamless transitions from low bass through to the crispiest high frequencies, delivered with control, energy and finesse.

The Silver 100 8G is finished in either: High Gloss Black, Satin White & European Walnut (man-made engineered wood) and comes with bespoke, magnetic speaker grilles as standard.

Features at a glance:

- 1 x 8-inch bass driver feat. C-CAM cone with new RST III driver geometry
- 1 x 3-inch mid driver feat. C-CAM cone with RST III
- 1 x 25mm C-CAM Gold Dome Tweeter
- Silent Flow port design
- Braced cabinet construction with Through-Bolt Technology
- Refined crossover design
- Three contemporary finishes



Silver 50 8G

A compact 2-way bookshelf design, Silver 50 features a powerful 6-inch C-CAM bass/mid driver with RST III cone geometry, partnered with a 25mm C-CAM Gold Dome tweeter to deliver precise, high-fidelity performance. Despite its size, Silver 50 produces impressively deep bass, richly detailed midrange and pin-sharp high frequencies.

The Silver 50 8G is finished in either: High Gloss Black, Satin White & European Walnut (man-made engineered wood) and comes with bespoke, magnetic speaker grilles as standard.

Features at a glance:

- 1 x 6-inch bass-mid driver feat. C-CAM cone with new RST III driver geometry
- 1 x 25mm C-CAM Gold Dome Tweeter
- Silent Flow port design
- Braced cabinet construction with Through-Bolt Technology
- Refined crossover design
- Three contemporary finishes



Silver On-Wall 8G

The Silver On-Wall is a highly capable speaker, equally at home delivering stereo or immersive AV effects. Featuring a powerful 6-inch C-CAM RST III bass/mid driver and a 25mm C-CAM Gold Dome tweeter. Its slimline design allows flexible horizontal or vertical wall mounting, making it ideal as an LCR speaker around a screen or as side and rear effects channels in a multi-channel home cinema system.

The Silver On-Wall 8G is finished in either: High Gloss Black, Satin White or European Walnut (man-made engineered wood) and comes with bespoke, magnetic speaker grilles as standard.

Features at a glance:

- 6-inch bass driver feat. C-CAM cone with new RST III driver geometry
- 25mm C-CAM Gold Dome Tweeter
- Silent Flow port design
- Braced cabinet construction with Through-Bolt Technology
- Refined crossover design
- Three contemporary finishes



Silver Centre 8G

With twin 6-inch C-CAM RST III bass/mid drivers, a 3-inch midrange, and a 25mm C-CAM Gold Dome tweeter, the Silver Centre's three-way design delivers lifelike detail, subtle nuance, and precise imaging, making it the ideal anchor for any Silver Series home cinema system, where dialogue clarity and immersive soundtrack effects are paramount.

The Silver Centre 8G is finished in either: High Gloss Black, Satin White or European Walnut (man-made engineered wood) and comes with bespoke, magnetic speaker grilles as standard.

Features at a glance:

- 2 x 6-inch bass driver feat. C-CAM cone with new RST III driver geometry
- 1 x 3-inch mid driver feat. C-CAM cone with RST III
- 1 x 25mm C-CAM Gold Dome Tweeter
- Silent Flow port design
- Braced cabinet construction with Through-Bolt Technology
- Refined crossover design
- Three contemporary finishes



Silver AMS 8G

The Silver AMS 8G features a 5.25-inch bass/mid driver and 25mm Gold Dome tweeter, specifically designed to deliver the precise height effects required by Dolby Atmos soundtracks. Its exacting dimensions allow it to sit perfectly atop the Silver 50 or Silver 300, making it a seamless addition that helps create a fully immersive, high-performance home cinema experience.

The Silver AMS 8G is finished in either: High Gloss Black, Satin White or European Walnut (man-made engineered wood) and comes with bespoke, magnetic speaker grilles as standard.

Features at a glance:

- 1 x 5.25-inch bass driver feat. C-CAM cone with new RST III driver geometry
- 1 x 25mm C-CAM Gold Dome Tweeter
- Refined crossover design
- Braced cabinet construction with Through-Bolt Technology
- Three contemporary finishes



Vestra Subwoofers


The perfect low-frequency partner for Silver Series 8G

The Vestra Subwoofers extend the Silver Series 8G experience into deep, authoritative bass, delivering precision, impact, and control that perfectly matches its clarity and refinement. Powered by long-throw C-CAM driver technology and high-efficiency amplification, they bring scale and weight to both music and film without losing definition.

*Sealed cabinet design ensures tight, accurate low-frequency performance with flexible placement, allowing seamless integration into any Silver Series 8G stereo or home cinema system.

Vestra Subwoofers and Silver Series 8G: engineered to deliver full-range performance with absolute cohesion and control.

*With the exception of the Vestra W15 which is a ported design



Silver AV Systems

A seamless cinematic experience at every level.

Whether in smaller rooms or dedicated home theatres, each system can be tailored with a combination of bookshelf, floorstanding, centre, surround and Atmos-enabled speakers to create a cohesive, room-filling soundstage with precise detail and powerful dynamics.

The result is a flexible, future-ready home cinema solution. The most capable and complete Silver Series ever.

Suggested systems

- 1 Silver 50 5.1 AV System
- 2 Silver 300 5.1 AV System
- 3 Silver 300 7.1.4 AV System

1



2



3





Pictured: Silver 300 8G, Silver AMS 8G, Silver Centre 8G, Vestra W10 in High Gloss Black

Versatile performance in stereo or as part of an immersive AV system

The Silver Series 8G On-Wall speaker is a high-performance, space-conscious solution designed to excel in both two-channel stereo and immersive home cinema systems.

With its slim, wall-mounted design, it integrates effortlessly into modern interiors while delivering the scale and precision expected from the Silver Series. Expect detailed, dynamic sound with tightly controlled bass, refined midrange clarity and crisp, extended highs.

Whether used as a stereo pair or as part of a multi-channel AV setup, it offers true versatility without compromise, an elegant choice for music lovers and film enthusiasts alike.



Pictured: Silver On-Wall 8G in European Walnut



Pictured: Silver 300 8G & in European Walnut

Technical specifications

				
Model	Silver 50 8G	Silver 100 8G	Silver 300 8G	Silver 500 8G
System Format	2-Way	3 Way	3-Way	3-Way
Frequency Response, In-Room (-6dB)	43 Hz - 35 kHz	33 Hz – 35 kHz	30 Hz - 35 kHz	28 Hz - 35 kHz
Sensitivity (2.83 Vrms @ 1m, Free-Field)	86.5 dB	87 dB	N/A	N/A
Sensitivity (2.83 Vrms @ 1m, Installed)	N/A	N/A	88 dB	90 dB
Nominal Impedance	8 Ohms	8 Ohms	8 Ohms	8 Ohms
Minimum Impedance (20Hz to 20kHz)	3.8 Ohms @ 240 Hz	3.7 Ohms @ 140 Hz	3.9 Ohms @ 3 kHz	3.6 Ohms @ 2 kHz
Maximum Peak SPL (AES75, Z-weighted)	110 dB	114 dB	116 dB	119 dB
Continuous Power Handling (CTA 426-B)	100 W	200 W	200 W	250 W
Recommended Amplifier Power (RMS, Music Signal)	50 - 200 W into 4 Ohms 25 - 100 W into 8 Ohms	100 – 400 W into 4 Ohms 50 – 200 W into 8 Ohms	100 - 400 W into 4 Ohms 50 - 200 W into 8 Ohms	125 - 500 W into 4 Ohms 60 - 250 W into 8 Ohms
Bass Alignment	Silent Flow Port Technology	Silent Flow Port Technology	Silent Flow Port Technology	Silent Flow Port Technology
Port Tuning Frequency	52 Hz	37 Hz	41 Hz	33 Hz
Crossover Frequency	LF/HF: 2.6 kHz	LF/MF: 610 Hz MF/HF: 2.9 kHz	LF/MF: 610 Hz MF/HF: 3.3 kHz	LF/MF: 640 Hz MF/HF: 2.8kHz
Drive Unit Complement	1 x 6" C-CAM RST III mid-bass driver 1 x 25mm C-CAM Gold Dome tweeter	1 x 8" C-CAM RST III mid-bass driver 1 x 3" C-CAM RST III mid-range driver 1 x 25mm C-CAM Gold Dome tweeter	2 x 6" C-CAM RST III bass driver 1 x 3" C-CAM RST III mid-range driver 1 x 25mm C-CAM Gold Dome tweeter	2 x 8" C-CAM RST III bass driver 1 x 3" C-CAM RST III mid-range driver 1 x 25mm C-CAM Gold Dome tweeter
External Dimensions with all accessories fitted (H x W x D)	335 x 185 x 332 mm (13 ³ / ₁₆ x 7 ⁵ / ₁₆ x 13 ¹ / ₁₆ ")	440 x 230 x 354 mm (17 ⁵ / ₁₆ x 9 ¹ / ₁₆ x 13 ¹⁵ / ₁₆ ")	1020 x 295 x 410 mm (40 ³ / ₁₆ x 11 ⁵ / ₁₆ x 16 ¹ / ₈ ")	1120 x 340 x 432 mm (44 ¹ / ₈ x 13 ³ / ₁₆ x 17 ")
Weight (Product, Each)	8.2 kg (18 lb 1 oz)	12.7 kg (26 lb 11 oz)	19.3kg (42 lb 9 oz)	24.3kg (53 lb 9 oz)

Available Finishes

Satin White

High Gloss Black

European Walnut

			
Model	Silver AMS 8G	Silver Centre 8G	Silver On-Wall 8G
System Format	2-Way	3-Way	2-Way
Frequency Response, In-Room (-6dB)	82 Hz - 35 kHz	66 Hz - 35 kHz	44 Hz - 35 kHz
Sensitivity (2.83 Vrms @ 1m, Free-Field)	85.5 dB	89 dB	N/A
Sensitivity (2.83 Vrms @ 1m, Installed)	N/A	N/A	88dB
Nominal Impedance	8 Ohms	8 Ohms	8 Ohms
Minimum Impedance (20Hz to 20kHz)	3.5 Ohms @ 6.8 kHz	4.0 Ohms @ 160 Hz	5.5 Ohms @ 20 kHz
Maximum Peak SPL (AES75, Z-weighted)	111 dB	120 dB	112 dB
Continuous Power Handling (CTA 426-B)	60 W	200 W	100 W
Recommended Amplifier Power (RMS, Music Signal)	30 - 120 W into 4 Ohms 15 - 60 W into 8 Ohms	100 - 400 W into 4 Ohms 50 - 200 W into 8 Ohms	50 - 200 W into 4 Ohms 25 - 100 W into 8 Ohms
Bass Alignment	Sealed	Sealed	Silent Flow Port Technology
Port Tuning Frequency	N/A	N/A	47 Hz
Crossover Frequency	LF/HF: 2.8 kHz	LF/MF: 620 Hz MF/HF: 3.0 kHz	LF/HF: 2.9 kHz
Drive Unit Complement	1 x 5 1/4" C-CAM RST III mid-bass driver 1 x 25mm C-CAM Gold Dome tweeter with optimised waveguide	2 x 6" C-CAM RST III bass driver 1 x 3" C-CAM RST III mid-range driver 1 x 25mm C-CAM Gold Dome tweeter	1 x 6" C-CAM RST III mid-bass driver 1 x 25mm C-CAM Gold Dome tweeter
External Dimensions with all accessories fitted (H x W x D)	185 x 185 x 312 mm (7 ⁵ / ₁₆ x 7 ⁵ / ₁₆ x 12 ³ / ₁₆ ")	205 x 511 x 272 mm (8 ¹ / ₁₆ x 20 ¹ / ₈ x 10 ¹¹ / ₁₆ ")	465 x 300 x 135 mm (18 ⁵ / ₁₆ x 11 ¹⁵ / ₁₆ x 5 ⁵ / ₁₆ ")
Weight (Product, Each)	4.5 kg (9 lb 15 oz)	11.7 kg (25 lb 13 oz)	8.9 kg (19 lb 10 oz)

Learn more about Silver Series 8G at monitoraudio.com/silver



